



Product Guide

**Professional.
Reliable.
Secure.**

dropsafe.com

About Us



Dropsafe: Your global Drops Prevention Partner

Dropsafe creates solutions to prevent objects falling from height, and is your global partner in drops prevention. We offer all the tools, advice and resources you need to tackle drops risks comprehensively, sustainably, and in a time- and cost-effective manner.

At Dropsafe we know that the most important thing is protecting your people by creating a safer workplace. Ensuring personnel safety is paramount. A by-product of doing so is a facilities compliance with industry best practice; a way for forward-thinking businesses to take a lead on safety management, setting themselves apart within global markets. As leaders in the drops prevention space, Dropsafe strives to help companies achieve the edge with an unparalleled level of safety.

We understand the time, budget and sustainability pressures that affect safety, and therefore we have designed all Dropsafe systems to be assets, not consumables, focusing on a low-cost of long term ownership.

We aim to educate around the risks dropped objects pose, promoting a safety culture that goes beyond just our technologies. Informing facility personnel to be aware of the four-fold threat all industries face regarding dropped objects, ensuring teams not only know the dangers, but also positive and effective mitigation strategies.



Our Products


Designed and manufactured in-house, Dropsafe products have become the industry standard for Drops Prevention Solutions globally serving multiple sectors including Oil & Gas, Power Generation, Mining, Marine and Renewables. We focus on innovation, quality, industry collaboration and 3rd party testing and validation in order to deliver product performance that exceeds customer expectations. We maintain a leading industry-wide quality record, supported by rigorous testing procedures and state-of-the-art manufacturing control and monitoring technology.



Barrier




Nets



Barricade



Pouches



Accessories

Contents

Our Products	3
Dropsafe Barrier	5
Ordering and Installation Process	6
Enquiry Form	7
Dropsafe Nets.....	8
Ordering and Installation Process	9
Request For Quotation Form	10
New Product Enquiry Form.....	11
Nets For Floodlights	12
Fluorescent/LED Strip Lights	16
Speakers/Horns	18
Navigation/Strobe Lights	19
CCTV Cameras	20
Self-Retracting Lifelines	21
Pipe Clamps.....	22
Anode, Junction Boxes, Heat, Smoke & CO ₂ Detectors.....	23
Crane Boom Stoppers, Crown Block Stoppers & Bend Restrictors	24
General RFQ Form (Barricades, Pouches & Accessories)	25
Dropsafe Barricade	26
Dropsafe Pouches.....	28
Dropsafe Accessories	30

DISCLAIMER

ALL STATEMENTS AND INFORMATION MADE IN THIS BROCHURE ARE FOR INFORMATION PURPOSES ONLY. DROPSAFE MAKES NO REPRESENTATIONS OR WARRANTIES OF ANY KIND (EXPRESS OR IMPLIED) ABOUT THE COMPLETENESS OF THE INFORMATION OR THE SUITABILITY OF THE PRODUCT FOR SPECIFIC NEEDS. DROPSAFE ASSUMES NO LIABILITY FOR ANY LOSSES OR DAMAGE RESULTING FROM ANY RELIANCE OR DEPENDENCE ON THE PUBLISHED INFORMATION. DISSEMINATION OF ANY INFORMATION CONTAINED IN THIS BROCHURE IS PROHIBITED. DROPSAFE RESERVES THE RIGHT TO ADD AND REMOVE OR AMEND PRODUCTS TO ITS LINE AT ANY TIME, AND THE READER SHOULD CHECK FOR UPDATES ON OUR WEBSITE.

IMPORTANT

The information contained in this Product Guide is for reference only. For further Product information visit dropsafe.com or email info@dropsafe.com. For information regarding the correct methods for installation, survey and replacement of our products, consult the detailed instructions provided with all Dropsafe Products.

Dropsafe Barrier

The Dropsafe Barrier is a dropped object prevention system, that reduces the risk of harm to people and critical equipment caused by items falling from height.

The system is affixed to the inside of guardrailing on walkways, elevated platforms or stairways and is suitable for both permanent and temporary installations. The Dropsafe Barrier prevents loose dynamic items from becoming dropped objects.

The system can also be used as a physical barrier between personnel and operating machinery to significantly improve work place safety.



Installation Locations




Walkways & Stairways



Scaffolding



Storage Areas



Machine Guards



Conveyor Walkways



Storage Tanks

Guardrailing configurations can vary throughout a facility. Guardrailing can have different post & rail sizes, heights & spacings and if fitted, toe board variations. These variations must be properly captured using our enquiry or order forms, so that you can receive an accurate quotation and the correct components for installation.

Quotations

Barrier quotations are provided per meter for either a Standard Installation or a Non-Standard Installation type. We can determine your installation type and provide a quote after you complete and send us the Barrier '**Enquiry Form.**'

WARNING

Install the Dropsafe Barrier only if:

1. Guardrailing is industry compliant and in good serviceable condition;
2. Areas are not exposed to hazardous chemicals, listed at dropsafe.com; and
3. The installation instructions are strictly followed.

Features



High impact resistance
(62.5 J)



Designed for high winds
250 kmph - 155 mph (Cat 5 hurricane)



Small mesh aperture
(19.8 mm / 0.78 Inch)



Suitable for harsh environments
(5 year weather testing)



5-year warranty



ABS approved for
DOPP+ standard

Dropsafe Barrier - Ordering and Installation Process

You can order and install the Dropsafe Barrier yourself, or engage a Dropsafe approved third party contractor.

Order

1	Complete the ' Enquiry Form ' (photocopy from Product Guide or download from dropsafe.com/resource-centre) and return to barrier@dropsafe.com . We will provide a quote based on the completed form.
---	--



2	If additional information regarding your installation is required, we will send an ' Information Collection Form ' (ICF), for you to complete and return. It is possible that your quote may need to be adjusted according to the new information.*
---	---



3	You confirm the order for the required Dropsafe Barrier Installation Areas.
---	---

Product Delivery

4	Your order is packed and labelled for each of your chosen Installation Areas
---	--

Installation

5	Installation instructions are provided with the order. If you opt for self-installation, we provide online training specific to your facility.**
---	--

* Dropsafe can put you in contact with a third party contractor to complete the ICF on your behalf if required.

** If you do not opt for self-installation, please contact us and we will introduce a certified third party contractor in your area.

Instructions for completing the Enquiry Form

1. Input your contact details, company and facility information
2. Input the area number, name and location details (e.g. under stairways)
3. Input post, rail and toe board dimensions (e.g. post width/diameter; rail diameter and profile; toe board height, depth and position)
4. Input the distance between each adjacent post (or if not practical, total length of guardrailing and the total number of posts including end posts)
5. Take a clear perspective photo of the guardrailing (input the photo file or file name and attach the photo to the email)
6. Leave any additional comments or questions regarding the area on the Enquiry Form

Contact barrier@dropsafe.com for any enquiries

Example

Area #	Area Name	Guardrail Dimensions	<input checked="" type="checkbox"/> mm	<input type="checkbox"/> inches	Post Spacing	Photos
1	Staging Area	Post	Ø38		A 400	
		Rails	Ø19 9mm offset		B 1530	
		Toe Board & Orientation	120 x 8 Mid mounted		C 400	
					D	
					E	
					F	

Dropsafe Barrier - Enquiry Form



We must receive an accurate and complete 'Enquiry Form' to provide a quotation.

Date: / / Company: State / Province / Area: Country:

Contact Person: Facility: Email: Phone:

Position:

Area #	Area Name	Guardrail Dimensions		Post Spacing		Photos	Comments
	Post		<input type="checkbox"/> mm <input type="checkbox"/> inches	A			
				B			
				C			
	Rails			D			
				E			
				F			
	Toe Board & Orientation			G			
				H			
				I			
	Post			A			
				B			
				C			
	Rails			D			
				E			
				F			
	Toe Board & Orientation			G			
				H			
				I			
	Post			A			
				B			
				C			
	Rails			D			
				E			
				F			
	Toe Board & Orientation			G			
				H			
				I			
	Post			A			
				B			
				C			
	Rails			D			
				E			
				F			
	Toe Board & Orientation			G			
				H			
				I			


Dropsafe Nets

The Dropsafe Nets are dropped object prevention devices that reduce the risk of harm to people and critical equipment caused by items falling from height.


Our Nets have always been a widely adopted and trusted safety solution, securely enclosing & tethering overhead fixtures to prevent dropped & falling objects. The updated Nets are an enhancement of the initial range, with additional features. With the triple action auto locking Trisafe™ carabiner significantly reducing human error and RFID enabled Choke Plate, Dropsafe products provide a new & unparalleled level of workplace safety.




Fixture Types



Floodlights



Flourescent/
LED Strip Lights



Nav/
Strobe Lights



Speakers/
Horns



CCTV
Cameras



Self-Retracting
Lifelines

Quotations

Fixtures installed at height vary in shape, size, weight and mounting configuration. To select the correct part number from this product guide, or to make a new product enquiry, you must provide accurate information about your fixture(s). In order for us to provide an accurate quotation, you must follow the Ordering Process .




WARNING

The attachment structure must be strong enough to support the fixture if it drops.
Install the Dropsafe Net only if:

1. The distance between the fixture and the attachment point is:

- vertically less than 30 cm (12")
- horizontally less than 50 cm (20")

2. The Net snug fit (not loose) around the fixture.



Features



Triple action auto-locking
Trisafe™ Carabiner



In-built RFID chip
for improved traceability



Toggles ensure a snug fit
for all fixture shapes



Designed and tested to over 5 times
Safe Working Load (SWL)



Withstands extreme temperatures
between -40°C to 500°C



SUS/AISI 316 stainless steel
wire and components



Available for a wide range of fixtures
(custom designs also available)



3-year warranty



ABS approved for DOPP+ standard

Dropsafe Nets - Ordering and Installation Process

You can order and install the Dropsafe Nets yourself or engage a Dropsafe approved third party contractor.

Ordering

Third party ordering

1	Email us the facility address at net@dropsafe.com and we will introduce the closest third party contractors in your area
---	--







2	Third party contractor surveys your facility and sends report to you and us
---	---



4	We email you the 'Quotation.' You then place an order for your selected Dropsafe Nets.
---	--

Self-ordering

1	<p>Collect the following for each fixture type you intend to secure:</p> <ul style="list-style-type: none">• Fixture weight including mounting bracket• Fixture dimensions (length, width & height)• Mounting configuration: <div style="display: flex; justify-content: space-around;"><div style="text-align: center;"><p>Side-mounted Bracket along side of fixture</p></div><div style="text-align: center;"><p>Rear-mounted Bracket facing rear of fixture</p></div><div style="text-align: center;"><p>Side-mounted Bracket along side of fixture</p></div><div style="text-align: center;"><p>Rear-mounted Bracket facing rear of fixture</p></div></div> <ul style="list-style-type: none">• Perspective photo• Fixture manufacturer & model (optional)
---	---



2	<p>Reference Product Guide to match Net Part No. to your fixture type(s). To match a fixture to a Net Part No. from the Product Guide ensure that:</p> <ul style="list-style-type: none">• Fixture weight incl. mounting bracket does not exceed the stated SWL• One dimension size does not exceed the reference fixture by >15%• Two dimension sizes do not exceed the reference fixture by >10%• The mounting configuration matches the Product Guide reference
---	---



3	<p style="text-align: center;">Match</p> <p>You complete the 'Request For Quotation Form' (photocopy from Product Guide or download from dropsafe.com/resource-centre) and email us at net@dropsafe.com.</p>
---	--



3	<p style="text-align: center;">No Match</p> <p>You complete the 'New Product Enquiry Form' (photocopy from Product Guide or download from dropsafe.com/resource-centre) and email us at net@dropsafe.com.</p>
---	---



Product Delivery

5	Your order is packed and labeled for each installation area.
---	--

Installation

Third Party Installation

6	Email us and we will introduce the closest third party installation contractors in your area.
---	---

Self-Installation

6	We provide online training for your installation type. Installation instructions will also be provided with the product.
---	--

Dropsafe Nets - Request For Quotation Form


Complete this form if you know the required Net Part No. from the Product Guide. We must receive an accurate and complete form to provide a quotation.

Date: DD / MM / YYYY Company: _____ Facility: _____
State / Province / Area: _____ Country: _____
Contact Person: _____ Position: _____
Email: _____ Phone: _____



Instructions for completing table below

- 1 Select the Part No. from the Product Guide
- 2 Enter Fixture Location on the facility
- 3 Select the Mounting: Side or Rear-mounted and confirm mounting is no more than 30cm/50cm
- 4 Enter Quantity
- 5 Enter Fixture Manufacturer
- 6 Enter Fixture Model
- 7 Take a clear perspective photo of the fixture
Enter the photo file name in the table and attach the photo to the email

Side-mounted
Bracket along side of fixture



Rear-mounted
Bracket facing rear of fixture



Perspective photo example

1 Part No.	2 Fixture Location	3 Mounting	4 Quantity	5 Fixture Manufacturer	6 Fixture Model	7 Photo File Name
8500070	Hose storage area	<input type="checkbox"/> Rear <input checked="" type="checkbox"/> Side	20	Philips floodlight	LED 200W	IMG_195.JPG
		<input type="checkbox"/> Rear <input type="checkbox"/> Side				
		<input type="checkbox"/> Rear <input type="checkbox"/> Side				
		<input type="checkbox"/> Rear <input type="checkbox"/> Side				
		<input type="checkbox"/> Rear <input type="checkbox"/> Side				
		<input type="checkbox"/> Rear <input type="checkbox"/> Side				
		<input type="checkbox"/> Rear <input type="checkbox"/> Side				
		<input type="checkbox"/> Rear <input type="checkbox"/> Side				
		<input type="checkbox"/> Rear <input type="checkbox"/> Side				
		<input type="checkbox"/> Rear <input type="checkbox"/> Side				

Installation options: ☐ Third party ☐ Self

Please confirm your preferred location: _____

Please contact us at net@dropsafe.com for any questions.

Drop^{safe}
Drops Prevention Technology

Date: / / Company: _____ Facility: _____
 DD MM YYYY

State / Province / Area: _____ Country: _____

Contact Person: _____ Position: _____





Email: _____ Phone: _____

1 Insert Fixture Type: A= Floodlight B= Fluorescent Light C= Nav/Strobe Light D= Speaker/Horn E= CCTV Camera
F= Junction Box or Sensor Unit G= Self-Retracting Lifeline (SRL) H=Other

Side-mounted

Bracket along side of fixture

Rear-mounted
Bracket facing rear of fixture



9 Take a clear perspective photo of the fixture.
Enter the photo file name in the table and attach the photo to the email.



Perspective photo example

[illegible]

Please contact us at net@dropsafe.com for any questions.

Nets For Floodlights

Part No.: 8500070




Fixture Weight
SWL: 18.5 kg (41 lbs)

Fixture Dimensions
A = 300 mm (11.8")
B = 300 mm (11.8")
C = 300 mm (11.8")

Mounting configuration
Side-mounted

Net fits this way



Part No.: 8500070




Fixture Specifications
SWL: 18.5 kg (41 lbs)

Fixture Dimensions
A = 255 mm (10")
B = 205 mm (8")

Mounting configuration
Side-mounted

Net fits this way



Part No.: 8500085




Fixture Weight
SWL: 25 kg (55 lbs)

Fixture Dimensions
A = 610 mm (24")
B = 330 mm (13")
C = 330 mm (13")

Mounting configuration
Rear-mounted

Net fits this way



Part No.: 8500085




Fixture Weight
SWL: 25 kg (55 lbs)

Fixture Dimensions
A = 490 mm (19.3")
B = 310 mm (12.2")
C = 300 mm (11.8")

Mounting configuration
Rear-mounted

Net fits this way



Part No.: 8500090




Fixture Weight
SWL: 20 kg (44 lbs)

Fixture Dimensions
A = 410 mm (16")
B = 410 mm (16")
C = 200 mm (8")

Mounting configuration
Side-mounted

Net fits this way



Part No.: 8500091




Fixture Weight
SWL: 35 kg (77 lbs)

Fixture Dimensions
A = 740 mm (29")
B = 590 mm (23")
C = 280 mm (11")

Mounting configuration
Side-mounted

Net fits this way



Part No.: 8500091




Fixture Weight
SWL: 35 kg (77 lbs)

Fixture Dimensions
A = 760 mm (30")
B = 535 mm (21")
C = 330 mm (13")

Mounting configuration
Side-mounted

Net fits this way



Part No.: 8500095




Fixture Weight
SWL: 28 kg (61 lbs)

Fixture Dimensions
A = 820 mm (32.3")
B = 410 mm (16")
C = 194 mm (7.6")

Mounting configuration
Side-mounted

Net fits this way



Part No.: 8500100




Fixture Weight
SWL: 30 kg (66 lbs)

Fixture Dimensions
A = 460 mm (18")
B = 375 mm (15")
C = 280 mm (11")

Mounting configuration
Rear-mounted

Net fits this way



Part No.: 8500100




Fixture Weight
SWL: 30 kg (66 lbs)

Fixture Dimensions
A = 460 mm (18")
B = 460 mm (18")
C = 265 mm (10.5")

Mounting configuration
Rear-mounted

Net fits this way



Nets For Floodlights

Part No.: 8500100




Fixture Weight
SWL: 30 kg (66 lbs)

Fixture Dimensions
A = 365 mm (14.3")
B = 305 mm (12")
C = 265 mm (10.5")

Mounting configuration
Rear-mounted

Net fits this way



Part No.: 8500106




Fixture Weight
SWL: 25 kg (55 lbs)

Fixture Dimensions
A = 535 mm (21")
B = 460 mm (18")
C = 165 mm (6.5")

Mounting configuration
Side-mounted

Net fits this way



Part No.: 8500106




Fixture Weight
SWL: 25 kg (55 lbs)

Fixture Dimensions
A = 570 mm (22.4")
B = 490 mm (19.3")
C = 235 mm (9.3")

Mounting configuration
Side-mounted

Net fits this way



Part No.: 8500106




Fixture Weight
SWL: 25 kg (55 lbs)

Fixture Dimensions
A = 530 mm (21")
B = 385 mm (15")
C = 280 mm (11")

Mounting configuration
Side-mounted

Net fits this way



Part No.: 8500106




Fixture Weight
SWL: 25 kg (55 lbs)

Fixture Dimensions
A = 610 mm (24")
B = 500 mm (19.7")
C = 230 mm (9")

Mounting configuration
Side-mounted

Net fits this way



Part No.: 8500106




Fixture Weight
SWL: 25 kg (55 lbs)

Fixture Dimensions
A = 455 mm (18")
B = 405 mm (16")
C = 280 mm (11")

Mounting configuration
Side-mounted

Net fits this way



Part No.: 8500106




Fixture Weight
SWL: 25 kg (55 lbs)

Fixture Dimensions
A = 530 mm (21")
B = 430 mm (17")
C = 175 mm (7")

Mounting configuration
Side-mounted

Net fits this way



Part No.: 8500107




Fixture Weight
SWL: 25 kg (55 lbs)

Fixture Dimensions
A = 600 mm (24")
B = 420 mm (16.5")
C = 160 mm (6.3")

Mounting configuration
Side-mounted

Net fits this way



Part No.: 8500110




Fixture Weight
SWL: 25 kg (55 lbs)

Fixture Dimensions
A = 460 mm (18")
B = 430 mm (17")
C = 265 mm (10.5")

Mounting configuration
Side-mounted

Net fits this way



Part No.: 8500110




Fixture Weight
SWL: 25 kg (55 lbs)

Fixture Dimensions
A = 450 mm (17.7")
B = 400 mm (15.7")
C = 265 mm (10.5")

Mounting configuration
Side-mounted

Net fits this way



Nets For Floodlights


Part No.: 8500150



Fixture Weight
SWL: 25 kg (55 lbs)

Fixture Dimensions
A = 615 mm (24")
B = 490 mm (19.5")
C = 340 mm (13.5")

Mounting configuration
Rear-mounted



Net fits this way


Part No.: 8500150



Fixture Weight
SWL: 25 kg (55 lbs)

Fixture Dimensions
A = 600 mm (23.6")
B = 400 mm (15.7")
C = 400 mm (15.7")

Mounting configuration
Rear-mounted



Net fits this way


Part No.: 8500150



Fixture Weight
SWL: 25 kg (55 lbs)

Fixture Dimensions
A = 600 mm (23.6")
B = 440 mm (17.3")
C = 235 mm (9.3")

Mounting configuration
Rear-mounted



Net fits this way


Part No.: 8500152



Fixture Weight
SWL: 35 kg (77 lbs)

Fixture Dimensions
A = 600 mm (23.6")
B = 600 mm (23.6")
C = 340 mm (13.3")

Mounting configuration
Side-mounted



Net fits this way


Part No.: 8500155



Fixture Weight
SWL: 30 kg (66 lbs)

Fixture Dimensions
A = 570 mm (22.4")
B = 420 mm (16.5")
C = 450 mm (17.7")

Mounting configuration
Side-mounted



Net fits this way


Part No.: 8500180



Fixture Weight
SWL: 48 kg (106 lbs)

Fixture Dimensions
A = 620 mm (24.5")
B = 490 mm (19.5")
C = 510 mm (20")

Mounting configuration
Side-mounted



Net fits this way


Part No.: 8500185



Fixture Weight
SWL: 48 kg (106 lbs)

Fixture Dimensions
A = 690 mm (27")
B = 690 mm (27")
C = 310 mm (12")

Mounting configuration
Side-mounted



Net fits this way


Part No.: 8500185



Fixture Weight
SWL: 48 kg (106 lbs)

Fixture Dimensions
A = 610 mm (24")
B = 530 mm (21")

Mounting configuration
Side-mounted



Net fits this way


Part No.: 8500190



Fixture Weight
SWL: 15 kg (33 lbs)

Fixture Dimensions
A = 400 mm (15.7")
B = 200 mm (8")
C = 150 mm (6")

Mounting configuration
Rear-mounted



Net fits this way


Part No.: 8500312



Fixture Weight
SWL: 15 kg (33 lbs)

Fixture Dimensions
A = 275 mm (10.8")
B = 160 mm (6.3")
C = 120 mm (4.7")

Mounting configuration
Rear-mounted



Net fits this way

Nets For Floodlights


Part No.: 8500320



Fixture Weight
SWL: 20 kg (44 lbs)

Fixture Dimensions
A = 560 mm (22")
B = 215 mm (8.5")

Mounting configuration
Rear-mounted



Net fits this way


Part No.: 8500325



Fixture Weight
SWL: 25 kg (55 lbs)

Fixture Dimensions
A = 635 mm (25")
B = 280 mm (11")

Mounting configuration
Rear-mounted



Net fits this way


Part No.: 8500325



Fixture Weight
SWL: 25 kg (55 lbs)

Fixture Dimensions
A = 480 mm (18.9")
B = 365 mm (14.4")

Mounting configuration
Rear-mounted



Net fits this way


Part No.: 8500327



Fixture Weight
SWL: 25 kg (55 lbs)

Fixture Dimensions
A = 580 mm (22.8")
B = 510 mm (20")

Mounting configuration
Rear-mounted



Net fits this way


Part No.: 8500327



Fixture Weight
SWL: 25 kg (55 lbs)

Fixture Dimensions
A = 610 mm (24")
B = 300 mm (11.8")

Mounting configuration
Rear-mounted



Net fits this way


Part No.: 8500327



Fixture Weight
SWL: 25 kg (55 lbs)

Fixture Dimensions
A = 460 mm (18")
B = 430 mm (17")

Mounting configuration
Rear-mounted



Net fits this way


Part No.: 8500327



Fixture Weight
SWL: 25 kg (55 lbs)

Fixture Dimensions
A = 580 mm (22.8")
B = 475 mm (18.7")

Mounting configuration
Rear-mounted



Net fits this way


Part No.: 8500328



Fixture Weight
SWL: 30 kg (66 lbs)

Fixture Dimensions
A = 250 mm (9.8")
B = 420 mm (16.5")

Mounting configuration
Rear-mounted



Net fits this way


Part No.: 8500330



Fixture Weight
SWL: 27 kg (59.5 lbs)

Fixture Dimensions
A = 700 mm (27.6")
B = 420 mm (16.5")

Mounting configuration
Rear-mounted



Net fits this way


Part No.: 8500331



Fixture Weight
SWL: 8 kg (17.6 lbs)

Fixture Dimensions
A = 355 mm (14")
B = 275 mm (10.8")

Mounting configuration
Rear-mounted



Net fits this way

Nets For Floodlights


Part No.: 8500335



Fixture Weight
SWL: 20 kg (44 lbs)

Fixture Dimensions
A = 83 mm (3.3")
B = 406 mm (15.9")

Mounting configuration
Side-mounted
Rear-mounted



↑
Net fits this way


Part No.: 8500336



Fixture Weight
SWL: 15 kg (33 lbs)

Fixture Dimensions
A = 270 mm (10.6")
B = 270 mm (10.6")
C = 180 mm (7")

Mounting configuration
Rear-mounted



↗
Net fits this way


Part No.: 8500337



Fixture Weight
SWL: 20 kg (44 lbs)

Fixture Dimensions
A = 150 mm (6")
B = 500 mm (19.7")

Mounting configuration
Rear-mounted



↑
Net fits this way


Part No.: 8500338



Fixture Weight
SWL: 26 kg (57 lbs)

Fixture Dimensions
A = 350 mm (13.8")
B = 310 mm (12.2")

Mounting configuration
Rear-mounted



↑
Net fits this way


Part No.: 8500725



Fixture Weight
SWL: 10 kg (22 lbs)

Fixture Dimensions
A = 230 mm (9")
B = 180 mm (7")

Mounting configuration
Rear-mounted



↓
Net fits this way

Nets For Fluorescent/LED Strip Lights


Part No.: 8500610



Fixture Weight
SWL: 20 kg (44 lbs)

Fixture Dimensions
A = 1840 mm (72.5")
B = 110 mm (4.3")

Mounting configuration
Rear-mounted



↑
Net fits this way


Part No.: 8500620



Fixture Weight
SWL: 20 kg (44 lbs)

Fixture Dimensions
A = 740 mm (29")
B = 210 mm (8.3")
C = 150 mm (6")

Mounting configuration
Rear-mounted



↑
Net fits this way


Part No.: 8500625



Fixture Weight
SWL: 20 kg (44 lbs)

Fixture Dimensions
A = 750 mm (29.4")
B = 170 mm (6.8")
C = 95 mm (4")

Mounting configuration
Rear-mounted



↑
Net fits this way


Part No.: 8500626



Fixture Weight
SWL: 8 kg (17.6 lbs)

Fixture Dimensions
A = 445 mm (17.5")
B = 54 mm (2.1")

Mounting configuration
Rear-mounted



↑
Net fits this way

Nets For Fluorescent/LED Strip Lights


Part No.: 8500627

Fixture Weight
SWL: 8 kg (17.6 lbs)

Fixture Dimensions
A = 1059 mm (41.7")
B = 54 mm (2.1")



Mounting configuration
Rear-mounted



↑
Net fits
this way


Part No.: 8500628

Fixture Weight
SWL: 8 kg (17.6 lbs)

Fixture Dimensions
A = 1380 mm (54.3")
B = 54 mm (2.1")



Mounting configuration
Rear-mounted



↑
Net fits
this way


Part No.: 8500630

Fixture Weight
SWL: 15 kg (33 lbs)

Fixture Dimensions
A = 900 mm (35.5")
B = 190 mm (7.5")
C = 130 mm (5.1")



Mounting configuration
Rear-mounted



↑
Net fits
this way


Part No.: 8500635

Fixture Weight
SWL: 20 kg (44 lbs)

Fixture Dimensions
A = 900 mm (35.5")
B = 170 mm (6.8")
C = 95 mm (4")



Mounting configuration
Rear-mounted



↑
Net fits
this way


Part No.: 8500640

Fixture Weight
SWL: 20 kg (44 lbs)

Fixture Dimensions
A = 1320 mm (52")
B = 190 mm (7.5")
C = 140 mm (5.5")



Mounting configuration
Rear-mounted



↑
Net fits
this way


Part No.: 8500640

Fixture Weight
SWL: 20 kg (44 lbs)

Fixture Dimensions
A = 1360 - 1500 mm
(53.5-59")
B = 190 mm (7.5")
C = 130 mm (5")



Mounting configuration
Rear-mounted



↑
Net fits
this way


Part No.: 8500640

Fixture Weight
SWL: 20 kg (44 lbs)

Fixture Dimensions
A = 1350 mm (53")
B = 210 mm (8.5")
C = 150 mm (6")



Mounting configuration
Rear-mounted



↑
Net fits
this way


Part No.: 8500640

Fixture Weight
SWL: 20 kg (44 lbs)

Fixture Dimensions
A = 1385 mm (54.5")
B = 165 mm (6.5")



Mounting configuration
Rear-mounted



↑
Net fits
this way


Part No.: 8500645

Fixture Weight
SWL: 24 kg (53 lbs)

Fixture Dimensions
A = 1350 mm (53")
B = 170 mm (6.8")
C = 95 mm (4")



Mounting configuration
Rear-mounted



↑
Net fits
this way


Part No.: 8500650

Fixture Weight
SWL: 32 kg (71 lbs)

Fixture Dimensions
A = 1350 - 1500 mm
(53 - 59")
B = 230 mm (9")
C = 160 mm (6.5")



Mounting configuration
Rear-mounted



↑
Net fits
this way

Nets For Fluorescent/LED Strip Lights


Part No.: 8500650



Fixture Weight
SWL: 32 kg (71 lbs)

Fixture Dimensions
A = 1610 mm (63.5")
B = 170 mm (6.8")
C = 105 mm (4")

Mounting configuration
Rear-mounted



↑
Net fits this way


Part No.: 8500655



Fixture Weight
SWL: 24 kg (53 lbs)

Fixture Dimensions
A = 1500 mm (59")
B = 170 mm (6.8")
C = 95 mm (4")

Mounting configuration
Rear-mounted



↑
Net fits this way


Part No.: 8500670



Fixture Weight
SWL: 30 kg (66 lbs)

Fixture Dimensions
A = 1350 mm (53")
B = 160 mm (6.3")
C = 130 mm (5.1")

Mounting configuration
Rear-mounted



↑
Net fits this way


Part No.: 8500670



Fixture Weight
SWL: 30 kg (66 lbs)

Fixture Dimensions
A = 1350 mm (53")
B = 300 mm (12")
C = 180 mm (7")

Mounting configuration
Rear-mounted



↑
Net fits this way

Nets For Speakers/Horns

Part No.: 8500070




Fixture Weight
SWL: 18.5 kg (41 lbs)

Fixture Dimensions
A = 340 mm (13.4")
B = 250 mm (9.8")

Mounting configuration
Side-mounted

Net fits this way




Part No.: 8500320



Fixture Weight
SWL: 20 kg (44 lbs)

Fixture Dimensions
A = 420 mm (16.5")
B = 340 mm (13.4")
C = 200 mm (8")

Mounting configuration
Rear-mounted



↗
Net fits this way

Part No.: 8500750




Fixture Weight
SWL: 8 kg (17.6 lbs)

Fixture Dimensions
A = 255 mm (10")
B = 205 mm (8")

Mounting configuration
Side-mounted

Net fits this way



Part No.: 8500815




Fixture Weight
SWL: 6 kg (13 lbs)

Fixture Dimensions
A = 215 mm (8.5")
B = 140 mm (5.5")
C = 140 mm (5.5")

Mounting configuration
Side-mounted

Net fits this way




Part No.: 8500820



Fixture Weight
SWL: 6 kg (13 lbs)

Fixture Dimensions
A = 380 mm (15")
B = 260 mm (10.5")
C = 200 mm (8")

Mounting configuration
Rear-mounted



↗
Net fits this way


Part No.: 8500860



Fixture Weight
SWL: 20 kg (44 lbs)

Fixture Dimensions
A = 590 mm (21.6")
B = 380 mm (7.4")
C = 250 mm (8.8")

Mounting configuration
Rear-mounted



↗
Net fits this way

Nets For Speakers/Horns


Part No.: 8500930



Fixture Weight
SWL: 10 kg (22 lbs)

Fixture Dimensions
A = 245 mm (9.6")
B = 165 mm (6.5")

Mounting configuration
Side-mounted




Part No.: 8500931



Fixture Weight
SWL: 20 kg (44 lbs)

Fixture Dimensions
A = 550 mm (21.7")
B = 190 mm (7.4")
C = 225 mm (8.8")

Mounting configuration
Rear-mounted



Nets For Navigation/Strobe Lights


Part No.: 8500320



Fixture Weight
SWL: 20 kg (44 lbs)

Fixture Dimensions
A = 510 mm (20")
B = 215 mm (8.5")

Mounting configuration
Rear-mounted




Part No.: 8500720



Fixture Weight
SWL: 4 kg (8.8 lbs)

Fixture Dimensions
A = 220 mm (8.7")
B = 140 mm (5.5")

Mounting configuration
Rear-mounted




Part No.: 8500730



Fixture Weight
SWL: 5 kg (11 lbs)

Fixture Dimensions
A = 240 mm (9.5")
B = 210 mm (8.3")

Mounting configuration
Rear-mounted




Part No.: 8500750



Fixture Weight
SWL: 8 kg (17.6 lbs)

Fixture Dimensions
A = 400 mm (15.7")
B = 200 mm (8")

Mounting configuration
Rear-mounted




Part No.: 8500760



Fixture Weight
SWL: 30 kg (66 lbs)

Fixture Dimensions
A = 495 mm (19.5")
B = 495 mm (19.5")
C = 420 mm (16.5")
D = 150 mm (6")

Mounting configuration
Rear-mounted




Part No.: 8500780



Fixture Weight
SWL: 65 kg (143 lbs)

Fixture Dimensions
A = 980 mm (38.6")
B = 560 mm (22")
C = 560 mm (22")
D = 150 mm (6")

Mounting configuration
Rear-mounted




Part No.: 8500793



Fixture Weight
SWL: 15 kg (33 lbs)

Fixture Dimensions
A = 485 mm (19")
B = 360 mm (14.2")

Mounting configuration
Rear-mounted



Nets For CCTV Cameras


Part No.: 8500930




Fixture Weight
SWL: 10 kg (22 lbs)

Fixture Dimensions
A = 220 mm (8.7")
B = 220 mm (8.7")
C = 170 mm (6.7")

Mounting configuration
Side-mounted




Part No.: 8500941



Fixture Weight
SWL: 5 kg (11 lbs)

Fixture Dimensions
A = 300 mm (11.8")
B = 100 mm (4")

Mounting configuration
Side-mounted




Part No.: 8500942



Fixture Weight
SWL: 5 kg (11 lbs)

Fixture Dimensions
A = 210 mm (8.3")
B = 180 mm (7")
C = 130 mm (5.1")

Mounting configuration
Rear-mounted




Part No.: 8500945



Fixture Weight
SWL: 20 kg (44 lbs)

Fixture Dimensions
A = 500 mm (19.7")
B = 140 mm (5.5")

Mounting configuration
Rear-mounted




Part No.: 8500946



Fixture Weight
SWL: 19 kg (42 lbs)

Fixture Dimensions
A = 325 mm (12.7")
B = 310 mm (12.2")
C = 220 mm (8.7")

Mounting configuration
Side-mounted




Part No.: 8500947



Fixture Weight
SWL: 6 kg (13 lbs)

Fixture Dimensions
A = 430 mm (17")
B = 168 mm (6.6")
C = 160 mm (6.3")

Mounting configuration
Side-mounted




Part No.: 8500948



Fixture Weight
SWL: 10 kg (22 lbs)

Fixture Dimensions
A = 460 mm (18.1")
B = 190 mm (7.5")
C = 130 mm (5.1")

Mounting configuration
Side-mounted




Part No.: 8500949



Fixture Weight
SWL: 17 kg (37.5 lbs)

Fixture Dimensions
A = 250 mm (9.8")
B = 100 mm (4.0")

Mounting configuration
Rear-mounted




Part No.: 8500950



Fixture Weight
SWL: 5 kg (11 lbs)

Fixture Dimensions
A = 325 mm (12.8")
B = 240 mm (9.4")
C = 170 mm (6.7")

Mounting configuration
Rear-mounted




Part No.: 8500951



Fixture Weight
SWL: 8 kg (18 lbs)

Fixture Dimensions
A = 260 mm (10.2")
B = 210 mm (8.3")
C = 140 mm (5.5")

Mounting configuration
Rear-mounted



Nets For CCTV Cameras


Part No.: 8500952



Fixture Weight
SWL: 18 kg (40 lbs)

Fixture Dimensions
A = 295 mm (11.60")
B = 220 mm (8.66")
C = 165 mm (6.50")

Mounting configuration
Rear-mounted



↑
Net fits this way


Part No.: 8500952



Fixture Weight
SWL: 18 kg (40 lbs)

Fixture Dimensions
A = 338 mm (13.30")
B = 220 mm (8.66")
C = 165 mm (6.50")

Mounting configuration
Rear-mounted



↑
Net fits this way


Part No.: 8500954



Fixture Weight
SWL: 10 kg (22 lbs)

Fixture Dimensions
A = 480 mm (18.9")
B = 176 mm (7")

Mounting configuration
Side-mounted



↗
Net fits this way


Part No.: 8500955



Fixture Weight
SWL: 10 kg (22 lbs)

Fixture Dimensions
A = 280 mm (11")
B = 115 mm (4.5")
C = 90 mm (3.5")

Mounting configuration
Side-mounted



↗
Net fits this way

Nets For Self-Retracting Lifelines


Part No.: 8500201



Fixture Weight
SWL: 40 kg (88 lbs)

Fixture Dimensions
A = 295 mm (11.6")
B = 150 mm (6")
C = 90 mm (3.5")

Mounting configuration
Rear-mounted



↑
Net fits this way


Part No.: 8500203



Fixture Weight
SWL: 50 kg (110 lbs)

Fixture Dimensions
A = 350 mm (13.8")
B = 200 mm (8")
C = 165 mm (6.5")

Mounting configuration
Rear-mounted



↑
Net fits this way


Part No.: 8500205



Fixture Weight
SWL: 60 kg (132 lbs)

Fixture Dimensions
A = 475 mm (18.7")
B = 280 mm (11")
C = 185 mm (7.3")

Mounting configuration
Rear-mounted



↑
Net fits this way


Part No.: 8500208



Fixture Weight
SWL: 18 kg (40 lbs)

Fixture Dimensions
A = 170 mm (6.7")
B = 100 mm (3.9")
C = 56 mm (2.2")

Mounting configuration
Rear-mounted



↑
Net fits this way


Nets For Pipe Clamps

Part No.: 8500219



Fixture Weight
SWL: 20 kg (44 lbs)

Fixture Dimensions
A = 380 mm (15")
B = 285 mm (11")
C = 120 mm (5")




Part No.: 8500220




Fixture Weight
SWL: 15 kg (33 lbs)

Fixture Dimensions
A = 280 mm (11")
B = 255 mm (10")
C = 100 mm (4")




Part No.: 8500221



Fixture Weight
SWL: 10 kg (22 lbs)

Fixture Dimensions
A = 152 mm (6")
B = 130 mm (5")
C = 60 mm (2")




Part No.: 8500222




Fixture Weight
SWL: 8 kg (17.6 lbs)

Fixture Dimensions
A = 115 mm (4.5")
B = 100 mm (4.3")
C = 45 mm (1.8")




Part No.: 8500223



Fixture Weight
SWL: 8 kg (17.6 lbs)

Fixture Dimensions
A = 70 mm (2.8")
B = 56 mm (2.2")
C = 30 mm (1.2")




Part No.: 8500224




Fixture Weight
SWL: 8 kg (17.6 lbs)

Fixture Dimensions
A = 55 mm (2.2")
B = 40 mm (1.6")
C = 30 mm (1.2")




Part No.: 8500225



Fixture Weight
SWL: 8 kg (17.6 lbs)

Fixture Dimensions
A = 115 mm (4.5")
B = 97 mm (3.8")
C = 45 mm (1.8")




Part No.: 8500226




Fixture Weight
SWL: 8 kg (17.6 lbs)

Fixture Dimensions
A = 206 mm (6.6")
B = 178 mm (7")
C = 80 mm (3.1")




Part No.: 8500227



Fixture Weight
SWL: 8 kg (17.6 lbs)

Fixture Dimensions
A = 250 mm (9.8")
B = 210 mm (8.2")
C = 90 mm (3.5")




Part No.: 8500228




Fixture Weight
SWL: 8 kg (17.6 lbs)

Fixture Dimensions
A = 206 mm (6.6")
B = 178 mm (7")
C = 160 mm (6.3")




Nets For Pipe Clamps

Part No.: 8500229



Fixture Weight
SWL: 8 kg (17.6 lbs)

Fixture Dimensions
A = 250 mm (9.8")
B = 210 mm (8.2")
C = 180 mm (7.1")




Nets For Junction Boxes, Heat, Smoke & CO₂ Detectors

Part No.: 8500311



Fixture Weight
SWL: 1 kg (2.2 lbs)

Fixture Dimensions
A = 120 mm (4.7")
B = 70 mm (2.8")



Mounting configuration
Rear-mounted




Part No.: 8500311



Fixture Weight
SWL: 1 kg (2.2 lbs)

Fixture Dimensions
A = 130 mm (5.1")
B = 130 mm (5.1")
C = 80 mm (3.1")



Mounting configuration
Rear-mounted




Part No.: 8500312



Fixture Weight
SWL: 15kg (33 lbs)

Fixture Dimensions
A = 275 mm (10.8")
B = 160 mm (6.3")
C = 120 mm (4.7")



Mounting configuration
Rear-mounted




Part No.: 8500316



Fixture Weight
SWL: 5 kg (11 lbs)

Fixture Dimensions
A = 150 mm (5.9")
B = 150 mm (5.9")
C = 110 mm (4.3")



Mounting configuration
Rear-mounted




Part No.: 8500317



Fixture Weight
SWL: 5 kg (11 lbs)

Fixture Dimensions
A = 150 mm (5.9")
B = 150 mm (5.9")
C = 150 mm (5.9")



Mounting configuration
Rear-mounted




Nets For Anode

Part No.: 8500390



Fixture Weight
SWL: 15 kg (33 lbs)

Fixture Dimensions
A = 1525 mm (60")
B = 65 mm (2.5")
C = 65 mm (2.5")




Nets For Hydraulic Brake Cover

Part No.: 8500337



Fixture Weight
SWL: 20 kg (44 lbs)

Fixture Dimensions
A = 150 mm (6")
B = 500 mm (19.7")



Mounting configuration
Rear-mounted




Nets For Crane Boom Stoppers

Part No.: 8500340



Fixture Weight
SWL: 35 kg (77 lbs)

Fixture Dimensions
A = 965 mm (36")
B = 150 mm (6")




Nets For Crown Block Stoppers

Part No.: 8500451



Fixture Weight
SWL: 50 kg (110 lbs)

Fixture Dimensions
A = 1370 mm (54")
B = 405 mm (16")
C = 190 mm (7.5")




Nets For Bend Restrictors

Part No.: 8500420



Fixture Dimensions
A = 9145 mm (360")
B = 485 mm (19")



Drop^{safe}
Drops Prevention Technology

Date: / / Company: Facility:
DD MM YYYY
 State / Province / Area: Country:
 Contact Person: Position:
 Email: Phone:

Dropsafe Safety products are designed to enable safe working practices to enhance work place safety. Please ensure you have read the requirements for each product before completing this form.

2 Enter the Quantity.

[illegible]

Please confirm your preferred location: _____

Version 08/21

Dropsafe Barricade


The Dropsafe Barricade is a work site safety management system.

The Barricade is the only versatile and fully customisable system designed to install in any type of access and work area.


The Barricade system's flexibility enables good housekeeping practices, providing a safer working environment for your personnel.




Installation Types



Wrap Attachment



Magnet Attachment



Barricade Fence

Quotations

The Barricade can be used for different applications throughout a facility. The system has multiple attaching options, customisable chain lengths, modular signage and a modular weather resistant documentation pouch. When selecting Barricade components, consider the different areas the Barricade can be used at your facility and the required attachment scenarios. To order, complete the '**General RFQ Form**' (photocopy from Product Guide or download from dropsafe.com/resource-centre) and email us at products@dropsafe.com.

Features



Suitable for harsh environments



Durable weatherproof and reflective document pouch



Customisable chain length and multiple installation options



Attachable DANGER and CAUTION signs



Magnetic hooks to connect the chain to metal structures

Dropsafe Barricade

Part No.: S011002100401



Chain

Colours: Yellow/Black
Units per pack:
- 20m Barricade Chain

Part No.: S011002100402



Chain

Colours: Red/White
Units per pack:
- 20m Barricade Chain

Part No.: S011002100701



Signage

Colour: Yellow
Units per pack:
- 5x CAUTION Sign

Part No.: S011002100702



Signage

Colour: Red
Units per pack:
- 5x DANGER Sign

Part No.: S011002100501



Sleeve

Units per pack:
- 5x Reflective Pouch

Part No.: S011002100601



Magnet

Units per pack:
- 10x Magnet


Dropsafe Pouches

Dropsafe Pouches are safety securing devices designed to secure handheld items used at height (such as two-way radios, portable gas detectors, aerosol spray cans and multimeters).

The Pouch fully encloses the item being secured and tethers the item to the user, preventing it from becoming a dropped or falling objects hazard.



Application



Quotations

Hand held items used at height vary in shape, size and weight. Ensure the items you intend to secure with the Pouch meet the specifications of the Part No. you select. To order, complete the '**General RFQ Form**' (photocopy from Product Guide or download from dropsafe.com/resource-centre) and email us at products@dropsafe.com.

Features



Designed and tested to over 2 times Safe Working Load (SWL)



Comes with heavy duty belt clip



SUS/AISI 316 stainless steel wire and components



Available in a range of sizes (custom designs also available)


Dropsafe Pouches

Part No.: S012001100701



Fixture Specifications
SWL: 500 g (1.10 lbs)

A = 60 - 150 mm
(2.4" - 5.9")
B (Min. circumference)
= 140 mm (6.6")




↑
Net fits
this way

Part No.: S012002100001



Fixture Specifications
SWL: 750 g (1.65 lbs)

A = 150 - 250 mm
(5.9" - 9.8")
B (Min. circumference)
= 210 mm (8.3")



↑
Net fits
this way


Part No.: S012003100001



Large Handheld Devices

Fixture Specifications
SWL: 750 g (1.65 lbs)

A = 245 mm (9.6")
B = 125 mm (4.9")
C = 45 mm (1.7")




↑
Net fits
this way

Dropsafe Accessories


Designed for use in harsh offshore and onshore environments, Dropsafe accessories provide application specific solutions to reduce dropped object risks.




Application Types



Valve Handle



Swing Gate



Access Gate

Quotations

It is important that you consider actual safety securing requirements and best practices when selecting Dropsafe Accessories. To order, complete the '**General RFQ Form**' (Photocopy from Product Guide or download from dropsafe.com/resource-centre) and email us at products@dropsafe.com.

IMPORTANT Dropped Object Prevention Best Practice

Use Dropsafe Nets as the best practice method of secondary retention (instead of wire or web slings). The Dropsafe 5X SWL, SUS316 nets fully enclose and tether the fixture and components, whereas slings do not fully retain the item being secured.

The light fixtures in these photos were retained using Dropsafe Nets, significantly reducing the risk of injury to personnel. This would not have been possible with a sling.



Crane boom light after collision



Light shade and impact guard dislodged due to corrosion

Features

316 SUS/AISI 316 stainless steel wire and components

5X SWL Designed and tested to over 5 times Safe Working Load (SWL)

Carabiner Carabiner with spring-loaded gate nut and safety indicator

Dropsafe Accessories

Part No.: S014002141001



Lanyard & Carabiner

SWL: 1 kg (2.2 lbs)

A (Extended) =
1100 mm (43.3")
B = 70 mm (2.7")

Wire rope + Coating Ø =
3 mm
Carabiner Ø = 7 mm



Part No.: S028005152001




Carabiner

SWL: 80 kg (176 lbs)

A = 70 mm (2.7")
B = 35 mm (1.4")

Carabiner Ø = 7 mm



Part No.: S014002100101




Cable & Carabiner

SWL: 10 kg (22 lbs)

A = 230 mm (9")
B = 70 mm (2.7")

Wire rope Ø = 1.5 mm
Carabiner Ø = 7 mm



Part No.: S014002153801




Cable & Carabiner

SWL: 80 kg (176 lbs)

A = 600 mm (23.6")
B = 70 mm (2.7")

Wire rope Ø = 3 mm
Carabiner Ø = 7 mm



Part No.: S014002153001




Cable & Carabiner

SWL: 80 kg (176 lbs)

A = 1200 mm (47.2")
B = 70 mm (2.7")

Wire rope Ø = 3 mm
Carabiner Ø = 7 mm



Part No.: S014002153201




Cable & Carabiner

SWL: 80 kg (176 lbs)

A = 1500 mm (59.1")
B = 70 mm (2.7")

Wire rope Ø = 3 mm
Carabiner Ø = 7 mm



Part No.: S014002153101




Cable & Carabiner

SWL: 80 kg (176 lbs)

A = 2000 mm (78.7")
B = 70 mm (2.7")

Wire rope Ø = 3 mm
Carabiner Ø = 7 mm



Part No.: S014002153701




Cable & Carabiner

SWL: 80 kg (176 lbs)

A = 3000 mm (118")
B = 70 mm (2.7")

Wire rope Ø = 3 mm
Carabiner Ø = 7 mm



Part No.: S014001153301




Cable

SWL: 80 kg (176 lbs)

A = 1200 mm (47.2")
B = 70 mm (2.7")

Wire rope Ø = 3 mm



Part No.: S014001153401




Cable

SWL: 80 kg (176 lbs)

A = 2000 mm (78.7")
B = 70 mm (2.7")

Wire rope Ø = 3 mm



Dropsafe Accessories


Part No.: S014002153901



Cable & 2 x Carabiner
SWL: 80 kg (176 lbs)

A = 600 mm (23.6")
B = 70 mm (2.7")

Wire rope Ø = 3 mm
Carabiner Ø = 7 mm




Part No.: S014002153501



Cable & 2 x Carabiner
SWL: 80 kg (176 lbs)

A = 1200 mm (47.2")
B = 70 mm (2.7")

Wire rope Ø = 3 mm
Carabiner Ø = 7 mm




Part No.: S014002153601



Cable & 2 x Carabiner
SWL: 80 kg (176 lbs)

A = 2000 mm (78.7")
B = 70 mm (2.7")

Wire rope Ø = 3 mm
Carabiner Ø = 7 mm




Part No.: S014002153802



Cable & Trisafe
SWL: 80 kg (176 lbs)

A = 600 mm (23.6")
B = 70 mm (2.7")

Wire rope Ø = 3 mm




Part No.: S014002153002



Cable & Trisafe
SWL: 80 kg (176 lbs)

A = 1200 mm (47.2")
B = 70 mm (2.7")

Wire rope Ø = 3 mm




Part No.: S014002153202



Cable & Trisafe
SWL: 80 kg (176 lbs)

A = 1500 mm (59.1")
B = 70 mm (2.7")

Wire rope Ø = 3 mm




Part No.: S014002153102



Cable & Trisafe
SWL: 80 kg (176 lbs)

A = 2000 mm (78.7")
B = 70 mm (2.7")

Wire rope Ø = 3 mm




Part No.: S014002153902



Cable & 2 x Trisafe
SWL: 80 kg (176 lbs)

A = 600 mm (23.6")
B = 70 mm (2.7")

Wire rope Ø = 3 mm




Part No.: S014002153502



Cable & 2 x Trisafe
SWL: 80 kg (176 lbs)

A = 1200 mm (47.2")
B = 70 mm (2.7")

Wire rope Ø = 3 mm




Part No.: S014002153602



Cable & 2 x Trisafe
SWL: 80 kg (176 lbs)

A = 2000 mm (78.7")
B = 70 mm (2.7")

Wire rope Ø = 3 mm



Dropsafe Accessories

Part No.: S014002154001



Padlock

SWL: 80 kg (176 lbs)

A = 1000 mm (39.4")

B = 70 mm (2.7")


C = 53 mm (2.0")

D = 40 mm (1.6")

E = 32 mm (1.2")

Wire rope Ø = 3 mm

Padlock Shackle Ø = 7 mm



Notes

Protecting Your People

The Americas

☎ +1 866 299 2294
✉ america@dropsafe.com

Asia

☎ +852 3664 8350
✉ asia@dropsafe.com

Europe

☎ United Kingdom +44 0800 015 9709
☎ The Netherlands +31 0800 022 8621
☎ Norway +47 800 24 852
✉ europe@dropsafe.com

Middle East & Africa

☎ +971 4 328 4855
✉ middleeast@dropsafe.com

Oceania

☎ +61 1800 821 649
✉ australia@dropsafe.com

Dropsafe is a proud member of:



Dropsafe®
Drops Prevention Technology